

6/23/2026

PFOT is PER FOOT OF TRAILER. Multiply by model length for cost. Car Haulers ADD 4'.(NAV12 is 12x the price, NMS20 is 24x the price)

**Exterior Aluminum Options**

White,black,red,silver,pewter,charcoal,battleship grey,orange,OD green,sahara tan  
.030, Matte Black  
.040 White/Black  
.030 Blue

**COMPATIBILITY**

All Models  
All Models  
All Models  
All Models

**Front Ramp Door Options - CS or RS**

Front ramp, Standard Plywood  
Front Ramp, Marine Deck  
Marine Deck Upgrade, must have ramp  
NUDO Upgrade, must have ramp  
Extruded Aluminum Upgrade, must have ramp  
Coined Flooring Overlay, must have ramp  
Checkerboard Vinyl Overlay, must have ramp  
Ramp Door Optional Ski Guide, 2"x2" Aluminum  
Transition Flap(NA with Threshold)  
Thresholds(NA with Transition Flap)

NCV, NCB  
NMS,NCV,NCB  
NAX  
NAS,NASX,NDO,NMS,NAX  
NCV,NCB,NMS,NDO,NAX  
All Models  
All Models  
NCV,NMS,NCB,NAX  
All Models  
7.5' & 8.5'w, front & rear ramps

**Rear Door Options**

Double, Swing Doors, Galvanized Bar Lock & Hinges (Standard)  
Double, Swing Doors, Galvanized Bar Lock & Hinges  
Double Swing Doors, substitute for models w/ standard Ramp  
Aluminum Barlock and Hinges(Double swing doors required)  
Ramp, Galvanized BL & Hinges, Plywood(from standard swings)  
Ramp, NXP Upgrade(Plywood, from standard swing doors)  
Ramp, NXP, Marine Deck Upgrade(From Standard Swing Doors)  
Ramp, NXP, NUDO (From Standard Swing Doors)  
Ramp, NXP, Marine Deck  
Ramp, NXP, NUDO Deck  
Ramp, NXP, Extruded Aluminum Deck  
Coin Floor Overlay, must have ramp door  
Checkerboard Overlay, must have ramp door  
2"x2" Angle Alum Ramp Reinforcement, Welded to frame(pair)(STD on 8.5w, except NDO)  
Ramp Door Reinforcement, (4) Tubes  
Transition Flap, Ramp door, .125" thickness, aluminum, smooth  
Ramp Door Threshold, NA W/ TRANSITION FLAP  
60" Removable Extension Ramps(.125 Aluminum)

6'w,7'w NAV  
NAV 5' Wide  
NCV, NDO, NHD, NAUX  
All Models  
NAV 5', 6' & 7' Wide  
NAV 5', 6' & 7' Wide  
NAV 5', 6' & 7' Wide  
NAV 5', 6' & 7' Wide  
All Models  
All Models  
NCV,NCB,NACX,NAUX,NAX,NMS,NDO  
All Models  
All Models  
5',6',7',7.5'w  
8.5' wide(N/A NDO)  
All Models  
7.5' and 8.5' wide  
8.5' W

**Side Door Options**

Flushlock, **CurbSide:**  
Flushlock, **RoadSide: (location change)**  
Additional Flushlock Side Door, Opposite side of existing door  
Add Aluminum Barlock:  
Add 15" x 30" Window:  
Upgrade to 48" Flushlock, **Curbside:**  
Upgrade to 48" Flushlock, **Roadside:(location change)**  
**RV Side Door**(Flushlock, Frosted Window 15x30, Screen Door)32" CS  
**RV Side Door**(Flushlock, Frosted Window 15x30, Screen Door)32" RS  
**RV Side Door**(Flushlock, Frosted Window 15x30, Screen Door)36" CS  
**RV Side Door**(Flushlock, Frosted Window 15x30, Screen Door)36" RS

All Models  
All Models  
NAS,NASA,NHD,NAM75,NAUX ONLY  
All Models  
All Models  
8.5' Wide Except NDO  
8.5' Wide Except NDO  
6',7',7.5'WIDE, NO NHD  
6',7',7.5'WIDE, NO NHD  
8.5'WIDE & NHD  
8.5'WIDE & NHD

**Additional Door Options**

Fuel Door(14" x 14", Flush lock)  
Roadside Show Car Access Door 48" x 48", side hinge  
Roadside Show Car Access Door 48"x62", side hinge (Can add barlock on 7.5'w only)  
Generator Door(30"W x 24"H), vented, side hinge  
Generator Door(36"W x 36"H), vented, side hinge  
Access Door(30"W x 24"H)flushlock, side hinge  
Awning Door, 4' x 6', top hinge  
Full Escape Door 70"H x 88"W, RS only  
FULL Escape Door, Triple Axle Car Haulers  
Grab Handle, Aluminum, for Ramp or Side Door

All Models  
NCV/B,NMS,NCBS,NACX,NAUX,NAX  
NAM75,NHD,NAUX  
All Models  
7.5' & 8.5'w  
All Models  
All Tandem and Triple Axles  
NCBS,NACX,NAX  
NACX,NCBS ONLY  
All Models

**Power Light Packages, (7-way Plug Req'd)**

12V Power Package 2 LED 39"  
12V Power Package 4 LED 39"  
110V POWER PKG 1: (2)48" Lights, 1 Switch, 1 Recept, 1 Motorbase Plug(15amp)  
110V POWER PKG 2: (4)48" Lights, 1 Switch, 3 Recepts, 1 30amp Plug, Panel and shore cord

All Models  
All Models  
All Models  
All Models



White Vinyl Walls, No Recessed E-track  
 White Vinyl Walls & 3/4" x 12" Kickplate, No Recessed E-track  
 White Vinyl Walls & 3/4" x 12" Kickplate, No Recessed E-track  
 White Vinyl Walls & 3/4" x 12" Kickplate, No Recessed E-track  
 3/4" Plywood, No Windows  
 3/4" Plywood, No Windows  
 .030 White Aluminum  
 .030 White Aluminum(+6" Height)  
 .030 White Aluminum(+12" Height)  
 Kickplate, Plywood, 12", (must have WVW)  
 Kickplate, Plywood, 24", Must have 12" plywood kickplate  
 Kickplate, Marine Deck, 12", (must have WVW)  
 Kickplate, Marine Deck, Replaces 12" with 24"  
 Kickplate, NUDO 12" (replaces existing scuff)  
 Kickplate, NUDO, 12"  
 Kickplate, NUDO, Replaces 12" with 24"(32" not available)  
 Kickplate, NUDO, Replaces 12" with 24"(32" not available)

NAM,NAE PFOT  
 NCV/B,NAX,NCBS,NACX,NAUX PFOT  
 NAV PFOT  
 NAS,NDO,NMS,NASX,NAM PFOT  
 MODELS WITH STD WALLS PFOT  
 MODELS WITH STD BARE WALLS PFOT  
 All Models except NAV PFOT  
 All Models except NAV PFOT  
 All Models except NAV PFOT  
 NCV/B,NCBS,NACX,NAM,NAUX,NAX PFOT  
 NCV/B,NCBS,NACX,NAM,NAUX,NAX PFOT  
 NCV/B,NCBS,NACX,NAM,NAUX,NAX PFOT  
 ALL MODELS PFOT  
 NAS,NASX,NDO,NAM,NMS,NHD PFOT  
 NCV/B,NAV,NAM,NACX,NCBS,NAUX,NAX PFOT  
 NAS,NASX,NDO,NMS,NAM PFOT  
 NCV,NCB,NCBS,NAV,NACX,NAUX,NAX PFOT

**Exterior Options**

Set Back Jack Tube, Tailgate compatible, RS  
 3500# Electric Jack(A-FRAME)  
 3500# Electric Jack BRACKET(ADAPTS TO INLINE TONGUE)  
 Additional Ramp Door Bumper  
 Stabilizer Jacks, Scissor(pair)  
 Stabilizer Jacks, Swing Down(pair)  
 ProStab Jacks, Pair, Must have ramp door, NA on 5'w with Barlocks  
 ProStab Stabilizer Jacks, Ramp Door Only (pair)  
 Coupler, 2-5/16, Single tube  
 Aluminum Ladder  
 Roller Rack (1 per trailer)  
 HD Ladder Racks, Installed, Not available with AWNINGS  
 Ladder Racks, Installed(LADDER RACK CAPACITY ONLINE)  
 Aluminum Grab Handle for Ramp or Side Door  
 Cable Hatch, Black, Plastic  
 Aluminum Slide Out Step,  
 60" Aluminum Slide Out Step  
 24" Standard Stoneguard  
 36" Standard Stoneguard  
 48" Standard Stoneguard  
 24" Straight Stoneguard  
 36" Straight Stoneguard  
 48" Straight Stoneguard  
 Skid Plates, Set of Two Welded to Rear  
 Bogie Wheels, Pair  
 Electric Awning, 8', Full Length Light, LED  
 Electric Awning, 10', Full Length Light, LED  
 Electric Awning, 12', Full Length Light, LED  
 Electric Awning, 14', Full Length Light, LED  
 Electric Awning, 16', Full Length Light, LED  
 Electric Awning, 18', Full Length Light, LED  
 Electric Awning, 20', Full Length Light, LED  
 Electric Awning, 21', Full Length Light, LED

NACX  
 A-FRAME MODELS  
 INLINE TONGUE MODELS  
 All Models  
 All Models  
 NAV  
 ALL RAMP DOOR MODELS, STD DECK  
 NDO,NMS  
 NAS,NDO  
 All Models  
 NHD  
 NHD,NASX,NAM75,NAE  
 All Models  
 All Models  
 All Models  
 All Models  
 NACX,NAX,NCBS  
 All Models, Not NAE  
 All Models, Not NAE  
 All Models, Not NAE  
 Not on NAV,NAM,NMS,NCBS,NAUX,NAE  
 Not on NAV,NAM,NMS,NCBS,NAUX,NAE  
 Not on NAV,NAM,NMS,NCBS,NAUX,NAE  
 All Models  
 All Models, not NDO  
 NA 5&6' WIDE  
 NA 5&6' WIDE  
 NA 5&6' WIDE  
 NA 5&6' WIDE  
 NA 5&6' WIDE  
 NA 5&6' WIDE  
 NA 5&6' WIDE  
 NA 5&6' WIDE

**Vent/Window Options**

Manual Roof Vent  
 12v Roof Super Vent  
 Roof Vent Cover Maxxair  
 Flow Vents, Black or White, PAIR  
 Salem Wall Vent and Garnish, Aluminum, Locks in Place  
 Salem Wall Vent and Garnish(BLACK)  
 Window, 15"x30" (Not Available w/ 3/4" walls)  
 Window, 30"x30" (Not Available w/ 3/4" walls)

All Models  
 All Models  
 All Models  
 All Models  
 All Models  
 All Models  
 All Models  
 All Models

**Interior Options**

Winch Plate, Under Floor  
 D-Ring, Medium Duty, 1200#, Surface Mount  
 D-Ring, Heavy Duty, 5000#, Recessed

All Models  
 All Models  
 All Models

D-Ring, Heavy Duty, Swivel, Recessed, (5000#)	All Models	
E-Track, Wall Surface Mount	All Models	PFOT
E-Track, 3/8 and 3/4 Wall Recessed	All Models	PFOT
E-Track, Floor Mount, Surface Mount	All Models	PFOT
E-Track, Floor Recessed, NA extruded aluminum floor, checkerboard or coin	All Models	PFOT
L-Track, Aluminum, Recessed, Floor, Per Foot, Rings not included, MUST HAVE 16"OC	All Models	PFOT
L-Track 3 Column SPORT Tie Down w/ rings (Std On NAM,NMS)	All Models	PFOT
L-Track, 2 Column, SLED Tie Down, w/ rings, Std on NAUX	All Models except NAV/NAE	
L-Track, 3 ILO 2 Column	16OC, 7.5 and 8.5w only	
In-Floor Storage Compartment 67"x22"x8"(24"OC Floor)(NA extruded alum)	NAUX only	
In-Floor Storage Compartment 67"x14"x8"(16"OC Floor)(NA extruded alum)	NAV, NAM, NAS, NDO	
In-Floor Spare Tire Compartment 32"x32"(NA extruded alum)	All Models, Except 5 wides	
In-Floor Bat Box, no wiring, 11" x 13" x 11" deep (NA extruded alum)	NCV/B,NMS,NCBS,NACX,NAUX,NAX	
Insulation, Polystyrene 1", Ceiling(must add ceiling liner)	All Models	PFOT
Insulation, Polystyrene 1", Walls (must have wall liner)	All Models	PFOT
Tire Mount, Interior/Exterior, Ships loose.	All Models	
Fold up Bench 49x12", aluminum, proprietary, part #'s: AOI90-003, AOI90-003S(taller scuff)	All Models	

**Package Options**

Blackout package, fenders & stoneguard	6,7,7.5,8.5'w
DT SPOILER	7'w NAS
DT SPOILER	7.5'w NASX,NAE
DT SPOILER	8.5'w NDO,NMS,NCV,NCB
MikaD Two Tone	All Models
TAB Two Tone	All Models
Arch Two Tone HD slash	All Models
Straight Chrome Slash, Single Tone	All Models
Straight Chrome Slash, Two Tone	All Models
Two tone, No chrome, basic	All Models
NEO Two-tone	All Models
Maple Leaf Two-tone	All Models
Chrome Slash Tribal & Galagan, Single & Two Tone	All Models
Michigan Slash	All Models
Slash, JD Two Tone	All Models

**Axle, Wheel, Tire Options**

BRAKE AXLE UPGRADE	ALL SINGLE AXLE
TORSION UPGRADE, SINGLE AXLE ONLY	SINGLE AXLE
TORSION UPGRADE	3500# TANDEM ONLY
ALUMINUM WHEEL, RADIAL TIRES, 205 75 R15	ALL 5 LUG, SINGLE, TANDEM, TRIPLE
NXT ALUMINUM WHEEL, RADIAL TIRES, 205 75 R15	ALL 5 LUG, SINGLE, TANDEM, TRIPLE
BLACK STEEL RADIALS, 205 75 R15	NCV,NCB,NAUX,NHD,NMS
ALUMINUM RADIALS,205 75 R15	NCV,NCB,NAUX,NHD,NMS
ALUMINUM NXT RADIALS,205 75 R15	NCV,NCB,NAUX,NHD,NMS
AXLE,3500# TORSION, BLACK STEEL RADIALS, 205 75 R15	NCV,NCB,NAUX
AXLE,3500# TORSION,ALUM RADIALS,205 75 R15	NCV,NCB,NAUX
AXLE,3500# TORSION,ALUM NXT RADIALS,205 75 R15	NCV,NCB,NAUX
AXLE,5200# SPRUNG, BLACK STEEL RADIALS,225 75 R15	NCV,NCB,NAUX
AXLE,5200# SPRUNG,ALUM RADIALS,225 75 R15	NCV,NCB,NAUX
AXLE,5200# SPRUNG,ALUM NXT RADIALS,225 75 R15	NCV,NCB,NAUX
AXLE,5200# TORSION, BLACK STEEL MOD RADIALS,225 75 R 15	NCV,NCB,NAUX,NMS
AXLE,5200# TORSION,ALUM RADIALS,225 75 R15	NCV,NCB,NAUX,NMS
AXLE,5200# TORSION,ALUM NXT RADIALS,225 75 R15	NCV,NCB,NAUX,NMS
AXLE,5200# TORSION,ALUM 16" NXT RADIALS, 235 80 R16	NMS
AXLE, 5200# TORSION, BLACK STEEL RADIALS 225 75 R15	NHD
AXLE, 5200# TORSION, ALUMINUM RADIALS 225 75 R15	NHD
AXLE, 5200# TORSION, NXT ALUMINUM RADIALS 225 75 R15	NHD
AXLE,5200# TORSION,BLACK STEEL RADIALS,225 75 R 15	NACX,NCBS,NAX
AXLE,5200# TORSION,ALUM RADIALS,225 75 R15	NACX,NCBS,NAX
AXLE,5200# TORSION,ALUM NXT RADIALS,225 75 R15	NACX,NCBS,NAX
AXLE,5200# TORSION,ALUM 16" NXT RADIALS, 235 80 R16	NACX,NCBS,NAX
AXLE,3500# TORSION,BLACK STEEL RADIALS, 205 75 R15	NDO,NMS,NASX,NAM75,NHD
AXLE,3500# TORSION,ALUM RADIAL,205 75 R15	NDO,NMS,NASX,NAM75,NHD
AXLE,3500# TORSION,ALUM NXT RADIAL,205 75 R15	NDO,NMS,NASX,NAM75,NHD
AXLE, 6000# TORSION, ALUM NXT RADIAL 235 80 R16	NACX,NCBS,NAX
AXLE, 6000# TORSION, ALUM NXT RADIAL 235 80 R16	NACX,NCBS TRIPLES ONLY

**Spare Tire Options**

5 Lug, 15" Black Steel Radial, ST205-75-R15 Tire Load Range C	All 3500#/5 lug unit
5 Lug, 15" Aluminum Radials, ST205-75-R15 Tire	All 3500#/5 lug unit

5 Lug, 15" NXT Radials, ST205-75-R15 Tire  
5 Lug 15" Steel Off-Road Wheel, 235 75 R15 C  
6 Lug, 15" Black Steel Radial, ST225-75-R15 Tire D  
6 Lug, 15" Aluminum Radials, ST225-75-R15 Tire Load Range D  
6 Lug, 15" NXT Radials, ST225-75-R15 Tire Load Range D  
6 Lug, 16" NXT Aluminum Radials ST235-80-R16 Tire Load Range E  
8 Lug, 16" NXT Radials, ST235-80-R16 Tire Load Range E

**All 3500#/5 lug unit  
3500# Torsion Only, Tandem  
All 5200#/6Lug unit  
All 5200#/6Lug unit  
All 5200#/6Lug unit  
NACX,NCBS,NMS,NAX  
NCBS,NACX,NAX**